


NPS - PART NUMBER LEGEND

AA-BBBB-CC-DDDD



MODEL (AA)

The first two digits of the part number indicate the specific pump size or accessory category. Parts may be used on more than one size of pump, therefore, the part is given the first two characters of the pump to which it was first introduced.

BODY NUMBER (BBBB)

The body number defines the segment of the pump or accessory with which the part is associated.

MATERIAL CODE (CC)

The material code indicates the part material composition.

SPECIALTY CODE (DDDD)

These digits indicate a specialty pump part. A specialty is defined as a pump that is non-standard (footed inlet, NPT, without an oil bottle). These characters are not utilized if a specialty code is not applicable.

Model	Description	Model	Description
(AA)		44	Unitec™ .075
00	A/P.025	45	Unitec™ 2
01	A/T/P1	46	Unitec™ 3
02	A/T/P2	47	Unitec™ 4
03	Hytec WH03 - OBSOLETE	48	Unitec™ 8
04	A/T/P/PV4	50	Drum Pump Kit
05	P.050 - OBSOLETE	54	Accu-Pulse™
08	A/T/P/PV8	55	Spill Stop 2" or Smaller - OBSOLETE
11	Hytec WH11 - OBSOLETE	56	Spill Stop 3" - OBSOLETE
15	A/T/P/PV15	57	Gauge Isolator - Appendage - OBSOLETE
20	A/T/PV20	58	Air-Tech Controllers - OBSOLETE
25	Hytec WH25 & P25 - OBSOLETE	59	Gauge Isolators - Flow-Thru Design
38	P38	60	FCS II™ (Flow Control System II™)
40	Hytec WH40 - OBSOLETE	61	Inline Check Valves - OBSOLETE
41	Unitec™ .025	65	DMS (Diaphragm Monitoring System)
42	Unitec™ .038	70	SD 1 (1" SD Equalizer®)
43	Unitec™ .050	71	SD 2 (2" SD Equalizer®)
		72	SD 1/2 (1/2" SD Equalizer®)
		73	BF 1/4" Equalizer® - OBSOLETE

NPS - PART NUMBER CODES

Model	Description
74	BF 1/2" Equalizer® - OBSOLETE
75	BF 1" Equalizer® - OBSOLETE
76	1-1/2" XSD HS Equalizer®
77	2" XSD HS Equalizer®
78	3" XSD HS Equalizer®
79	BF 4" Equalizer® - OBSOLETE
80	VC Pumps
90	Promotional Items
95	Rhino™ Pumps & Parts
99	Miscellaneous

Body Number	Description
-------------	-------------

(BBBB)

1010	Diaphragm, primary
1011	Diaphragm, Primary, High Pressure
1012	Diaphragm, primary, FVP
1015	Diaphragm, Primary, Laminate Quadra Flex
1020	Diaphragm, primary, Ultra-flex
1022	Easy Install Wilflex (Ultra-Flex II)
1025	Bladder, BF Equalizers
1026	Bellows, BF Equalizers
1027	Bellows, BF Equalizers, Kynar
1030	Diaphragm, integral piston
1031	Diaphragm, Integral piston using Rubber hardware
1040	Ful Flow, Primary
1060	Diaphragm, backup
1061	Diaphragm, SIPD, Back up, for -1031-
1065	Full Flow, back up
1070	O-ring, backup
1071	O-ring, bellows backup
1072	O-ring, Diaphragm
1080	Ball, valve
1081	Ball, valve, high density
1085	Ball, valve, bolted
1086	Ball, valve EHEDG
1090	Ball, check
1095	Mushroom Valve
1096	Mushroom Valve, EHEDG
1097	Check Valve
1098	Spring, Liquid Check
1120	Seat, valve
1121	Seat, valve, reversible
1125	Seat, valve, bolted
1126	Seat/Gasket Combo
1127	Seat, LSH
1128	Seat, Valve, Advanced
1129	Seat, Full Flow
1130	Seat, valve, combo
1135	Seat, Valve Plug, H400S

1140	Seat, valve, top
1150	Seat, FVP
1160	Seat, valve, bottom
1180	Flap Valve
1181	Flap Valve, 2"
1185	Flap Valve, FVP
1195	Pad, Flap Valve Hinge, FVP
1196	Retainer, flap valve, FVP
1200	O-ring, valve seat
1205	O-ring, valve seat, bolted
1206	O-ring, valve seat, Plastic Adv
1209	O-ring, valve seat, Adv Drop-in
1215	O-ring, Flap Valve, Sanitary
1220	O-ring, top retainer
1230	O-ring, bottom retainer
1250	O-ring, plate
1260	Obsolete - use 1220 or 1230
1270	O-ring, plastic surge end
1280	O-ring, metal surge end
1285	O-Ring, SD Regulator Body
1300	O-ring, t-section
1305	Ring, Manifold Seal
1320	Gasket, t-section
1325	Gasket, t-section, bolted
1350	O-ring, ball cage
1360	O-ring, Liquid Fitting
1365	O-ring, Wetted Path
1370	O-ring, outboard
1371	O-ring, Manifold, Plastic Advanced
1372	O-ring, manifold, Metal Adv
1375	O-ring, Manifold, Sanitary
1395	Gasket, valve seat, FVP
1400	Gasket, manifold elbow, Champ
1401	Gasket, manifold, FVP
1405	Gasket, bolted, manifold
1410	Tape, gasket (.125 x 100')
1420	Tape, gasket (.25 x 500')
1421	Tape, gasket (.25 x 48')
1430	Tape, gasket (.50 x 100')
1431	Tape, gasket (.50 x 24')
1450	Ball, check
1460	O-ring, outer piston
1470	O-ring, power port, Hytec
1480	Gasket, drum pump adapter
1500	Wiper seal
2000	Air valve
2001	Air valve w/ stroke counter
2002	Air valve, Turbo, ATEX
2003	Air valve, High Pressure H200/H800
2010	Air valve, Pro-Flo
2011	Air valve, Pro-Flo w/ stroke counter
2015	Air valve, Wil-Flo
2016	Air valve, Wil-Flo w/ stroke counter
2017	Air valve, Wil-Flo ATEX
2020	Air valve body, Accu-Flo

NPS - PART NUMBER CODES

Body Number	Description
2030	Air valve, Pro-Flo V
2031	Air valve, Pro-Flo V, PCM 1
2035	Assembly, Air Valve, PV4/15, SS w-Anodized spool
2036	Air valve, Pro-Flo V
2050	Air valve w/ oil bottle fitting
2080	Air valve w/ oil bottle
2100	Air Valve, Assy
2110	Coil, solenoid, Accu-Flo
2111	Coil, 24 V DC
2112	X-Proof Coil
2113	X-Proof Coil Assy
2120	Operator, solenoid, Accu-Flo
2121	Operator, Solenoid, Nema 7
2122	Operator, Solenoid, P025 Nema4
2130	Connector, coil, Accu-Flo
2140	Internal assembly, solenoid, Accu-Flo
2150	Air block
2155	Air block, Pro-Flo
2156	Air Block, PX
2160	Spacer, Solenoid, ProFlo
2161	Spacer, Solenoid, Pro-Flo X
2170	Fitting, air block
2173	Spring, air check
2174	Check, air inlet
2175	Fitting, inlet
2176	Clip, Air
2250	Piston, air valve
2251	Piston, Ringed, WilFlo
2252	Piston, Air Valve w/Magnetic Sensor
2254	Piston, Air Valve, WilFlo w/ Magnetic Sensor
2255	Piston, air valve, Wil-Flo
2256	Spool, Air Valve, Pro-Flo V
2257	Spool, Air Valve, Ringed (H200/H800)
2258	Spool, Air Valve, Pro-Flo V (Revised)
2260	Spool, air valve, small
2270	Spool, air valve, center
2280	Spool, air valve, large
2285	Plug, Pilot, Solenoid Valve
2286	O-ring, Pilot Plug
2290	Pin, guide
2300	End cap w/guide
2301	End cap w/ guide, revised
2306	Cap End w/Guide Pin, 1/8" Npt Threaded
2310	O-ring, screw-in end cap (T15 only)
2320	End cap, screw-in (T15 only)
2330	End cap w/o guide
2331	End cap w/o guide, revised
2332	End cap, Pro-Flo
2333	End Cap, Pro-Flo w/ stroke counter
2334	End Cap, TurboFlo w/ Sensor
2335	End Cap, Pro-Flo, Blank
2336	Cap End, 1/8" Npt Threaded
2340	End Cap, Pro-Flo V
2345	Cap, Threaded End

Body Number	Description
2360	O-ring, M1.5 X 26
2361	O-ring, M1.0 X 16
2362	O-ring, M1.5 X 9
2363	O-ring, M3.0 X 17
2364	O-ring, M1.0 X 20
2375	Housing, control valve
2378	Piston, Control
2380	Seal, External Cap
2383	Seal, Internal Cap
2385	Seal, control valve, external cap
2390	O-ring, end cap
2395	O-ring, end cap, Pro-Flo
2420	Cover, end cap
2450	Bolt, end cap cover
2500	Screen, air valve
2600	Gasket, air valve
2601	Gasket, H800 Air Valve
2603	Gasket, air valve (H200)
2604	Gasket, Air Valve, WilFlo
2605	Gasket, air valve, Wil-Flo
2610	Gasket, air valve, old style
2615	Gasket, air valve o-ring, Pro-Flo
2620	Gasket, Thermal Isolator
2621	Gasket, Thermal Isolator, Single Point Exhaust
2625	Gasket, Air Manifold
2650	Retaining ring, air valve
2651	Retaining ring, Pro-Flo
2700	Manifold, air valve, HP250
2701	Manifold, Air Valve, Single Point Exhaust
2705	Cover, Isolator
2710	Air Manifold
2740	Valve, pressure relief
2745	Valve, pressure relief, Wil-Flo
2746	Valve, pressure relief, Wil-Flo Adv
2750	Guide, valve
2755	Guide, valve, Wil-Flo
2760	Cover, valve
2770	O-ring, HP250
2780	O-ring, HP250
2785	O-ring, pressure relief valve, Wil-Flo
2786	O-ring, Air check
2787	O-ring, Air fitting
2790	Pin, accuator, HP250
2795	Pin, accuator, Wil-Flo
2796	Pin, Accuator, W4/W8 Advanced
2800	Shuttle valve
2810	Shuttle button
2820	Seal, quad ring, shuttle valve, Wil-Flo
2850	Oil bottle
2860	Adapter, oil bottle
2870	O-ring, oil bottle
2880	Connector, oil bottle
2900	Assy, capillary rod
2910	Seal, capillary rod
2920	Capillary rod

NPS - PART NUMBER CODES

Body Number	Description
2960	Assy, oil bottle
3000	Cover, cylinder
3001	Cover, Chamber, R1600S
3010	End plate, Hytec
3020	O-ring, cover, HP250
3025	O-ring, Center block adapter
3080	Center block adapter plate
3081	Center block adapter plate, PV
3100	Center block
3110	Center block, Pro-Flo
3113	Center block, Wil-Flo
3115	Center block, Wil-Flo
3116	Center block, Wil-Flo, submersible
3117	Center block, Wil-Flo, LSH Retrofit
3120	Center block, Pro-Flo V
3121	Center block, Pro-Flo, bolted
3122	Center block, Wil-Flo, bolted
3125	Center block, H400S
3126	Center block, Pro-Flo X
3127	Center block, PV810
3140	Center Section, ProFlo
3141	Center Section, ProFlo, Advanced
3142	Center Section, Pro-Flo, Bolted Metal Hybrid
3143	Center Section, P2 w/ acetal bushing
3144	Center Section, Pro-Flo R3200D
3145	Center Section, P2 (Revised)
3146	Obsolete - use 3166
3147	Section, PX Die Cast Center
3148	Section, Advanced PX Die Cast Center
3149	Section, EHEDG Clamped Center
3150	Center section
3151	Center section, enhanced
3152	Center section, enhanced II
3155	Center section, P25/P38
3156	Center section
3160	Center section assy, Pro-Flo, 1-pc
3161	Center section assy, Pro-Flo, PFA hardware
3162	Center section assy, Pro-Flo, 1-pc, bolted
3163	Center Section Assy, ProFlo w/Acetal AV
3164	Center Section Assy, ProFlo w/Acetal AV, PFA Coate
3165	Center section assy, Wil-flo, bolted, DC chamber
3166	Center section assy, Wil-Flo, bolted, SC chamber
3167	Center Section Assy, WilFlo, 3pc, Adv w/ SS AV
3170	Center section assy, Pro-Flo, 3-pc
3172	Center section assy, Pro-Flo, bolted, DC chamber
3173	Center section assy, Pro-Flo, bolted, SC chamber
3174	Center Section Assy, ProFlo, 3pc Plastic Adv
3175	Center section assy, Wil-Flo, w/brass air valve
3176	Center section assy, Wil-Flo, w/nickel air valve
3177	Center section assy, Wil-Flo, w/ss air valve

Body Number	Description
3178	Center section assy, Wil-Flo, w/PFA air valve
3179	Center section assy, Wil-Flo, brass w/ss hardware
3180	Muffler plate
3181	Muffler plate, Pro-Flo
3185	Muffler plate, Pro-Flo V/Pro-Flo X
3190	O-ring, bushing, old style
3200	O-ring, bushing
3201	O-Ring, slipper seal, large
3202	O-Ring, slipper seal, pilot spool
3203	O-ring, pilot spool combo/double
3210	Glyd-ring
3211	Glyd-ring, large
3220	Glyd-ring
3240	Filter element
3250	Connector, muffler
3251	Connector, muffler, 45 deg. SS
3252	Connector, muffler, 90 deg. 1"
3260	Gasket, center section
3300	Bushing, press fit
3305	Bushing, assembly, shaft, Wil-Flo
3320	Bushing, mold insert
3400	Cup seal
3410	Wiper seal
3500	Gasket, muffler plate
3502	Gasket, muffler plate, Pro-Flo V
3503	Gasket, muffler plate, Pro-Flo V, Submersible
3505	Gasket, air valve o-ring, Pro-Flo
3510	Muffler
3511	Muffler, 3M
3512	Muffler, Metal
3513	Muffler, S. S.
3514	1" Plastic Muffler W/Brass Insert
3515	Kit, Muffler Brahma
3516	Muffler, plastic w/brass screen
3517	Cap, Muffler
3519	Body, Muffler
3520	Gasket, center block
3521	Gasket, center block, Wil-Flo
3522	Gasket, center block, Wil-Flo, submersible
3523	Gasket, center block, Wil-Flo, plastic DC
3524	Gasket, Center Block, WilFlo
3525	Gasket, center block, Pro-Flo
3526	Gasket, Center Block, ProFlo
3527	Gasket, Center Block, WilFlo
3528	Gasket, Center Block, Pro-Flo V
3530	Filter, muffler
3532	Cap, Muffler, Bottom, 1" NPT
3533	Cap, Muffler, Top 1" NPT
3536	Gasket, center block, PV810
3550	Check body
3560	Adjuster, Pro-flo V
3561	Adjuster PX 01-15 Die Cast, Center/Block
3640	Ring, air chamber
3650	Chamber, air

NPS - PART NUMBER CODES

Body Number	Description	Body Number	Description
3651	Chamber, air, Pro-Flo	3830	Shaft (Ultra-flex)
3652	Chamber, air, Wil-Flo	3835	Shaft, (Ultra-Flex)
3660	Chamber, air, left (Hytec)	3840	Shaft, Pro-Flo (PTFE)
3665	Chamber, air, FVP	3841	Shaft, Pro-Flo (Ultra-Flex)
3667	Chamber, Air, PX FVP	3842	Shaft, ProFlo, Plastic Adv (PTFE)
3670	Chamber, air, right (Hytec)	3843	Shaft, ProFlo, Plastic Adv (Ultra-flex)
3680	Chamber, air, bolted (experimental)	3845	Shaft, H400S
3681	Chamber, air, bolted, Pro-Flo (experimental)	3846	Shaft, H400S, Ss & Hast
3682	Chamber, air, bolted, Wil-Flo	3847	Shaft, Perswing Valve
3683	Chamber, Air, H400	3850	Pilot spool, Pro-flo®
3684	Chamber, Air, H400 SS	3851	Sleeve, removable
3685	Chamber, air, bolted, Pro-Flo, sand cast	3852	Spool, Pilot, Plastic Adv
3686	Chamber, air, bolted, Wil-Flo, sand cast	3860	Spacer, Ultra-Flex®
3690	Obsolete - Use 3694	3870	Slipper seal, pilot spool
3692	Chamber, air, H200	3875	O-ring, Pilot Spool
3694	Chamber, Pro-Flo V, Adv	3880	Assy, pilot sleeve, Pro-Flo
3695	Obsolete - use 3696	3882	Sleeve, Pilot, Plastic Adv
3696	Chamber, Pro-Flo V, Adv SS & Hast	3883	Sleeve, Pilot, AccuFlo
3697	Chamber, Pro-Flo V, H400S	3884	Sleeve, Pilot, Pro-Flo V
3698	Chamber, ProFlo V Advanced Drop-in Air	3885	Sleeve, Pilot, PV810/PV1510
3700	Piston, inner (non-PTFE)	3890	Retainer ring, removable sleeve
3701	Piston, inner, Pro-Flo (combo)	3895	Sleeve, o-ring installation
3702	Piston, inner, H200 & H800	3900	Insert, integral piston
3705	Piston, Inner, FVP	3950	air Motor, 4 hp, Typhoon Mixer
3710	Piston, inner (combo)	4550	Piston, outer (non-PTFE)
3711	Piston, inner, Pro-Flo (combo)	4552	Piston, outer (non-PTFE)
3715	Piston, inner, Wil-Flo (PTFE)	4555	Piston, outer, FVP
3720	Piston, cylinder	4560	Piston, outer (ultra-flex)
3721	Piston, Air, Simplex	4565	Piston, outer, H400S, (non-PTFE)
3722	Piston, Air Duplex	4570	Piston, outer (combo)
3723	Piston, Liquid	4600	Piston, outer (PTFE)
3730	Bushing, cylinder piston	4601	Piston, outer (PTFE)
3750	Piston, inner (PTFE)	4980	Chamber, liquid, bolted
3751	Piston, inner, Pro-Flo (PTFE)	4981	Chamber, liquid, H400S
3752	Piston, inner, (PTFE)	4985	Chamber, liquid, bolted (flap valve config) (exper
3755	Piston, inner, IPD	4990	Ball ring, liquid chamber
3760	Piston, inner, (Ultra-flex)	4993	Liquid Chamber, Top
3761	Piston, inner, Pro-Flo, (Ultra-Flex)	4997	Liquid Chamber, Bottom
3762	Piston, inner, wil-Flo, (Ultra-Flex)	5000	Chamber, liquid
3770	O-ring, piston, HP250	5001	Chamber, liquid, M2R - revised
3775	Piston, Inner, H400S	5004	Chamber, Liquid, 45 degree replacement
3780	Slipper Seal, HP250	5005	Chamber, Liquid, Plastic Adv
3785	U-Cup Seal	5006	Chamber, liquid, Full Flow
3790	Guide Ring	5010	Ball Ring
3800	Shaft (non-PTFE)	5015	Chamber, liquid, Adv Metal
3805	Shaft, Acu-Flo (non-PTFE)	5016	Chamber, liquid, Sanitary, EHEDG
3806	Shaft, FVP	5020	Manifold, discharge
3807	Shaft, PV810/PV1510	5024	Manifold, Discharge, 45 degree replacement
3810	Shaft, Pro-flo®	5026	Manifold, Discharge, BSPT, 45 degree replacement
3811	Shaft, ProFlo, Plastic Adv (Non-PTFE)	5030	Manifold, Discharge, Adv, ANSI
3812	Full Flow Rubber Fitted Pro-Flo Shaft	5031	Manifold, Discharge, Adv, Din
3815	Shaft, Wil-Flo	5032	Manifold, Discharge, H400S
3816	Shaft, Wil-Flo, 3" plastic (PTFE)	5033	Manifold, Discharge, H200S
3820	Shaft (PTFE)	5035	Manifold, Discharge, Adv, NPT
3825	Shaft, (Ptfe), Accu-Flo		

NPS - PART NUMBER CODES

Body Number	Description
5036	Manifold, Discharge, Adv, BSP
5037	MANIFOLD, DISCHARGE, ADV NPT
5038	MANIFOLD, DISCHARGE, ADV BSP
5039	manifold, Discharge, Adv, flaretek
5045	Manifold, Dis, ADV dropin ANSI
5046	Manifold, Dis, ADV dropin, DIN
5050	Manifold, Combo, NPT
5051	Manifold, Combo, BSPT
5052	Manifold, Combo, Dual Ported, NPT (for Drum Pump)
5053	Manifold, Combo, Dual Ported, BSPT (for Drum Pump)
5054	Manifold, Combo, Split, NPT
5055	Manifold, Combo, Split, BSPT
5056	Manifold, Side Discharge, LSH
5080	Manifold, inlet
5081	Manifold, inlet, BSP
5082	Manifold, inlet, Screen Base
5083	Manifold, inlet, Screen Base, BSP
5084	Manifold, Inlet, NPT, 45 degree replacement
5085	Manifold, inlets, Tri-Clover
5086	Manifold, Inlet, BSPT, 45 degree replacement
5090	Manifold, Inlet, Adv, ANSI
5091	Manifold, Inlet, Adv, DIN
5092	Manifold, inlet, H400S
5093	Manifold, inlet, H200S
5094	Manifold, inlet, Adv, Drum Pump
5095	Manifold, Inlet, Adv, NPT
5096	Manifold, Inlet, Adv, BSP
5097	Manifold, inlet, Adv NPT (AC)
5098	Manifold, inlet, Adv BSP (AC)
5099	Manifold, inlet, Adv Flaretek
5125	Manifold, In, ADV Dropin, ANSI
5126	Manifold, In, ADV Dropin, DIN
5160	T-section (NPT or ANSI)
5161	T-Section, externally threaded
5170	T-Section, Sanitary, Side Discharge
5175	T-Section, FVP
5180	T-section, bolted, ANSI
5181	T-section, H400S (Ansi)
5185	T-section, bolted, DIN
5190	T-Sec, H800 Sanitary, Tri Clamp
5210	Elbow, inlet, bolted
5215	Elbow, inlet, FVP
5220	Elbow, inlet manifold
5230	Elbow, discharge manifold
5240	Elbow, combo manifold
5250	Elbow, discharge, bolted
5255	Elbow, discharge, bolted (flap valve) (experimenta
5280	Body, Flap Valve
5285	Spacer, Flap Valve
5290	Reducer, 4" to 3"
5350	Ball cage
5351	Cage, Ball, LSH

Body Number	Description
5352	Cage, Mushroom Valve, LSH
5355	Cage, ball, bolted
5360	Ball cage, Food Master
5370	Stop, ball, adjustable
5410	Retainer, top
5411	Retainer, top, T2R - revised
5420	Retainer, bottom
5430	Retainer, Combo
5431	Guide, Mushroom Valve
5432	Check Valve, Support
5440	Sleeve, retainer
5460	Ball pot
5461	Housing, Ball, LSH
5480	Plate, ball pot
5490	Plate, end (experimental)
5491	Cover, inlet plate
5492	Cover, exhaust plate
5540	Foot, manifold
5545	Foot, FVP (right)
5546	Foot, FVP (left)
5550	Base Plate
5620	Screen
5660	Cover, suction hook up
5680	Ring, push
5700	Fitting, Flare-tek®
6000	Screw, SHC, air valve
6001	SHCS, air valve, Pro-Flo
6002	SHCS, air vlave, Accu-Flo
6010	SHCS, Manifold
6011	SHCS, Chamber
6030	Screw, SHC, HP250
6031	SHCS, Diaphragm inverter, 5/16 - 18
6032	SHCS, Diaphragm inverter, 3/8 - 18
6040	Screw, SHC, sm clamp band
6050	Carriage bolt, sm clamp band
6060	Carriage bolt, med clamp band
6070	Carriage bolt, lg clamp band
6080	Carriage bolt, manifold
6090	Screw, HHC, shaft
6095	Screw, Shaft, M12
6100	Screw, HHC, sm clamp band
6101	Screw, HHC, sm clamp band
6110	Screw, HHC, med clamp band
6120	Screw, HHC, lg clamp band
6130	Screw, HHC, center section
6131	HHCS, center section, H800
6132	HHCS, center section
6140	Screw, HHC, screen
6141	Screw, SHH
6142	Screw, HHC, caster bolt
6143	HHCS, EHEDG Pump Stand
6150	Stud, shaft
6152	Stud, shaft (Ultra-Flex)
6153	Stud, Shaft Adapter
6160	Stud, wing-nut

NPS - PART NUMBER CODES

Body Number	Description
6165	Stud, chamber to elbow, M10
6166	Stud, flap valve, M6
6170	Rod, connection
6180	Screw, HHC, liquid chamber, bolted
6181	Screw, HHC, manifold, bolted, plastic
6182	HHCS, manifold, bolted 3" S. S.
6185	Bolt, HFH, liquid chamber
6186	HHCS, FVP
6187	HHCS, FVP
6190	Screw, HHC, manifold, bolted
6191	Screw, HHC, liquid chamber, bolted, plastic
6192	HHCS, liquid chamber, P1500 Adv Plastic
6193	HHCS, liquid chamber, P1500 Adv SS
6195	Bolt, HFH, manifold
6196	HHCS, air chamber
6197	HHCS, outer piston, FVP
6200	Screw, FHM, center section
6201	obsolete
6202	HHCS, air chamber, P1500
6210	Screw, HHC, t-Section
6215	Bolt, HFH, t-section
6220	Screw, SFCHC
6225	SFCHCS, 3/8 - 16
6230	Screw, SFCHC
6235	SFCHCS, 6-32
6250	Screw, SHC, surge dampener
6260	Screw, HHC, cover, HP250
6270	HHCS, Outer Piston, Insert
6280	Bolt, Shouldered
6300	U-bolt, manifold foot
6310	Screw, 16 pak
6320	Screw, RHM, Wil-Gard bracket
6340	Screw, set
6342	Set Screw 10-32
6345	Screw, Self Tapping Grounding
6350	Screw, self tapping
6351	Screw, muffler plate, P4
6360	Screw, lag
6361	Screw, HHCS, T20 pallet, 1/2 x 4
6365	Screw, base plate, FVP
6400	Nut, hex, sm clamp band
6410	Nut, hex, med clamp band
6420	Nut, hex, lg clamp band
6425	Nut, hex, liquid chamber
6426	Nut, liquid chamber, FVP, M12
6430	Nut, hex, manifold bolt
6431	Nut, flange, manifold
6435	Nut, flange, manifold
6436	Nut, manifold, FVP
6440	Nut, hex, heavy, manifold handles
6450	Nut, hex, heavy, clamp band
6460	Nut, hex, shaft
6461	Torx Nut, FVP Shaft

Body Number	Description
6470	Nut, self-locking
6471	Nut, self-locking, 3/8 - 16
6475	Nut, exhaust bushing
6476	Nut, lock, FVP, M6
6480	Nut, Jam
6500	Nut, square, clamp band
6505	Nut, square, chamber bolt
6506	Nut, square, center block
6550	Nut, cone, center section
6555	Nut, cone, metric
6600	Nut, cap, pump stand
6650	Nut, wing, sm clamp band
6651	Nut, wing, sm clamp band, Polished
6660	Nut, wing, med clamp band
6661	Nut, wing, med clamp band, Polished
6670	Nut, wing, lg clamp band
6671	Nut, wing, lg clamp band, Polished
6680	Nut, wing, manifold bolt
6690	Nut, wing, ball pot
6700	Washer, flat, sm clamp band
6710	Washer, flat, med clamp band
6720	Washer, flat, lg clamp band
6730	Washer, flat, manifold bolt
6731	Washer, manifold bolt
6735	Washer, chamber bolt
6740	Washer, flat
6741	Flat Washer
6742	Flat Washer
6743	Flat Washer
6750	Washer, lock, u-bolt
6760	Washer, lock, drum pump
6770	Washer, lock, solenoid adapter block
6780	Washer, lock
6790	Washer, stop, ASD
6800	Washer, reinforcing
6801	Washer, spring
6802	Washer, belleville
6805	Spacer
6810	Spring, disk, manifold bolt
6820	Spring, disk, liquid chamber
6830	Washer, flat, AN 960
6840	Washer, flat, AN 960
6850	Washer, shouldered
6870	Washer, large O.D.
6900	Bumper, Stallion
6901	Bumper, Stallion, Ultra-flex
6902	Bumper, FVP
6940	Bushing, pump stand
6950	Bushing, reducer
6951	Bushing, reducer, LSH Conversion
7000	Plug, oil bottle
7010	Plug, elbow
7011	Pipe Plug, elbow, BSP

Halar® is a registered trademark of Solvay.
Gortex® is a registered trademark of Gore.

NPS - PART NUMBER CODES

Body Number	Description
7012	Pipe Plug, P200 Plastic (1 1/4" NPT)
7015	Pipe Plug, FVP
7016	Plug, Pressure Seal
7020	Plug, exhaust vent
7021	Vent Plug, exhaust
7022	Plug, Exhaust (Px1/Px2)
7025	Bushing, exhaust
7030	Plug, pipe
7100	Clamp band, small
7102	Clamp Band, Sanitary, 3"
7103	Clamp Band, Sanitary Industrial 3"
7104	Clamp Band, Sanitary, 2 1/2"
7105	Clamp band, small, Ultrapure
7200	Clamp band, medium
7202	Clamp Band, Sanitary, 4"
7203	Clamp Band, Sanitary Industrial 4"
7250	Handle, collapsible
7300	Clamp band, large
7302	Clamp Band, Sanitary, Large
7305	Clamp band, large, Ultrapure
7310	Clamp band, half, large w/bolt
7330	Clamp band, large, metal to plastic
7400	Bracket, manifold
7410	Bracket, mounting
7420	Nipple, check body
7421	Nipple, close
7430	Nipple, A.V. manifold
7431	Nipple
7450	Nipple, inlet
7460	Nipple, combo
7470	Nipple, discharge
7480	Nipple, combo, inlet
7490	Nipple, combo, discharge
7500	Coupling
7501	Coupling, muffler, straight
7510	Pipe, 3/8 sched 40
7520	Pipe, 3/8 sched 40
7550	Nipple, capillary rod
7600	Lug, clamp band
7640	Nipple, FoodMaster stand
7650	Stand, pump
7651	Stand, Sanitary, Tall
7652	Stand, LSH
7653	Stand, H800 Sanitary
7655	Swivel Stand, EHEDG
7660	Cap, FoodMaster stand
7661	Stand adapter, LSH Conversion
7665	Bushing, EHEDG Swivel Stand
7670	Pad, pump stand
7671	Foot
7672	Pad, Pump Stand, 1-in HS Pump
7680	Caster swivel
7681	Caster, ridged
7690	Pin, hair cotter, pump stand
7691	Pin, Safety, Spring

Body Number	Description
7692	Lanyard, 8"
7693	Locking pin
7694	Locking pin, EHEDG stand
7700	Insert, threaded, center block
7710	Insert, threaded, P4 center block
7715	Insert, threaded, center block, Wil-Flo
7740	Tube, poly
7741	Tube, Nylon 1/2" OD
7742	Tube, Nylon
7750	Pin, guide, end cap
7760	Grip, Foam
7770	Fitting, elbow hose, 90 degree
7779	Fitting, NPT
7780	Fitting, hose
7781	Clamp, reuseable hose, H200
7782	Hose Fitting, 1/2"
7783	Clip, liquid fitting - Hornet pump
7785	Fitting, Compression, H400S
7790	Fitting, hose, for sensor
7800	Cap, button, large
7810	Guide, bolt, lube free air valve
7820	Cap, button, small
7821	Plug, Cap Square
7825	1/4" SHCS Plug
7830	Elbow, 1/8"
7831	Pipe, Elbow, 3/8"
7840	Elbow, 1"
7841	Elbow, 1 1/4"
7842	Elbow, 1 1/2"
7843	Pipe Elbow, 4/2"
7850	Spring, pressure relief valve
7851	Spring, Accuator Pin
7852	Spring, WilFlo PRV
7860	Shim, flat, pressure relief valve
7865	Valve, Ball, Enviroguard
7870	Tee, Compression, 3/8"
7871	Nut, Compression, 3/8"
7872	Sleeve, Compression, 3/8"
7980	Tag, serial number
7981	Tag, serial number, generic
7982	Tag, serial number, Balcrank
7983	Tag, serial number, Lincoln
7984	Tag, serial number, Pwr Kit
7985	Tag, Identification, Enviroguard
7986	Tag, Identification, CSA
8000	Obsolete - use 8001 or 8011
8001	Control module, Wil-Gard II, 110V
8011	Control module, Wil-Gard II, 220V
8020	Sensor cables, Wil-Gard II
8040	Plug, cap
8050	Wire, PFA, 6" w/in-line receptacle
8070	Extension, 35' w/in-line receptacle and plug
8080	Extension, 100' w/in-line receptacle and plug
8090	Obsolete - use 8091 or 8096
8091	Power supply, Wil-Gard II, 110v

NPS - PART NUMBER CODES

Material Code	Description
8096	Power supply, Wil-Gard II, 220V
8100	Obsolete - use 8101 or 8111
8101	Wil-Gard II complete kit, 110V
8111	Wil-Gard II complete kit, 220V
8150	Pump Cycle MOnitor I (PCM I)
8151	Counter, 8 digit
8200	FCS I-A, air valve
8201	Fcs-II-S
8210	ECO 110V
8211	ECO 220V
8220	FCS I-S, solenoid air valve
8230	Power supply, 5 volt
8240	Pressure transducer, 30 psi
8300	Grounding strap
8301	Grounding strap, center section
8302	Grounding strap, muffler plate
8310	Grease packet
8320	Magnet
8330	Sensor, magnet
8400	Air powder valve
8410	Cement Bucket
8500	Air regulator, ASD
8510	Regulator Plate
8515	Regulator Body
8600	Surge end, w/ gland, combo
8620	Surge end, inlet
8630	Surge end, discharge
8670	Receptacle, 4-pole
8690	Plug, 4-pole
8700	Surge end, w/ gland, inlet
8710	Surge end, w/ gland, discharge
8800	Stop, ASD
8900	Insert, ASD
8981	Pusher, Diaphragm Inverter
8982	Handle, Diaphragm Inverter
8983	Tool, Diaphragm Inverter, LSH
8984	Tool, Diaphragm Inverter, LSH, Tapped
9000	Box assembly
9010	Box
9030	Box
9031	Box, DMS
9032	Box, Plastic Pump
9033	Box, T1, CFA
9034	Box, Bolted Pump
9035	Box, High Pressure
9036	Box, Ultra-Flex Kit
9037	Box, Bolted Pump, aluminium
9038	Box, Pro-Flo®
9039	Box, Stallion
9040	Box, unprinted
9041	Box, Solenoid

Material Code	Description
9042	Box, Bolted plastic
9043	Box, gortex kit
9044	Box, Generic, LSh
9045	box, Bolted, Unprinted
9046	box, Bolted Plastic generic
9047	Box, 1.5" Sanitary
9048	Box, PV810
9049	Box, P15/P1500 Drop-in
9050	Insert, top
9051	Insert, top, Champ
9052	Insert, bolted, top
9053	Insert, Top, Alum, bolted
9054	Insert, Top, Sanitary
9057	Insert, Top 1.5" Sanitary
9059	Insert, Bottom, P15
9060	Insert, .025 oil bottle assy.
9061	Insert, Ultra-Flex Kit
9070	Insert, side
9075	BOX, SLEEVE, 22 X 25, PX, HS
9080	Sound Shield 1
9081	Sound Shield 2
9082	Sound Shield 3
9083	Sound Shield 4
9084	Sound Shield 5
9085	Sound Shield 6
9086	Insert, bottom
9100	Insert, bottom
9101	Insert, bottom, Bolted Pump, aluminium
9102	Insert, bottom, bolted
9103	Insert, Stallion
9104	Insert, Sanitary
9105	Insert, Bottom, P15
9106	Insert, Bottom, Plastic Adv
9107	Insert, bottom, 1.5" Sanitary
9108	Insert, bottom, PV810
9109	Insert, bottom, P15
9110	Insert, bottom, SS, T15 pump
9120	Pallet, T20
9121	Pallet, Bolted/High Pressure Pump
9122	PALLET, 22 X 25
9130	Insert, screen
9140	Kit, retro-fit, Pro-Flo, rubber/TPE
9141	Kit, retro-fit, Pro-Flo, PTFE
9142	Kit, retro-fit, Pro-Flo, Ultra-Flex
9143	Kit, Pro-Flo, Combo
9144	Kit, ProFlo, Rubber w/Acetal av
9145	Kit, ProFlo, PTFE w/ Acetal av
9146	Kit, P2, Rubber
9147	Kit, P2, PTFE
9148	Kit, P2, 3A/EHEDG
9150	Insert, combo

Viton® is a registered trademark of Dupont Dow Elastomers.

Halar® is a registered trademark of Solvay.

Gortex® is a registered trademark of Gore.

NPS - PART NUMBER CODES

Body Number	Description
9160	Kit, retro-fit, Stallion
9170	Kit, o-ring
9180	Kit, Remote Operation (20" tube)
9190	Kit, Check Valve, Hornet Pump
9200	Kit, .025 Air Valve
9210	Kit, .025 Elastomer
9211	Kit, Seal, Rhino
9220	Kit, muffler
9221	Kit, muffler, 3M
9222	Kit, muffler, Wil-Flo
9230	Kit, relief tube
9235	Kit, Pistons, Diaphragm, H800
9240	Kit, Ultra-Flex Neo w/ Alum
9241	Kit, Ultra-Flex Neo w/ CI
9242	Kit, Ultra-Flex Neo w/ SS
9243	Kit, Ultra-Flex Neo w/ Hast
9244	Kit, Ultra-Flex Neo w/ PVDF
9250	Kit, Ultra-Flex Buna w/ Alum
9251	Kit, Ultra-Flex Buna w/ CI
9252	Kit, Ultra-Flex Buna w/ SS
9253	Kit, Ultra-Flex Buna w/ Hast
9254	Kit, Ultra-Flex Buna w/ PVDF
9256	Kit, Ultra-flex, Buna w/CI, WilFlo
9260	Kit, Ultra-Flex EPDM w/ Alum
9261	Kit, Ultra-Flex EPDM w/ CI
9262	Kit, Ultra-Flex EPDM w/ SS
9263	Kit, Ultra-Flex EPDM w/ Hast
9264	Kit, Ultra-Flex EPDM w/ PVDF
9270	Kit, Ultra-Flex Viton w/ Alum
9271	Kit, Ultra-Flex Viton w/ CI
9272	Kit, Ultra-Flex Viton w/ SS
9273	Kit, Ultra-Flex Viton w/ Hast
9274	Kit, Ultra-Flex Viton w/ PVDF
9290	Kit, drum pump
9300	Kit, demo
9310	Tube, drum pump
9320	Kit, H25/1600 Power Chamber Replacement
9321	Kit, H38/3200 Power Chamber Replacement
9330	Base, drum pump
9335	Adapter Plate
9340	Tool, power piston ring
9341	Kit, glyd-ring installation tool
9345	Kit, Pressure Relief Seal (2)
9350	Nipple, drum pump
9360	Adapter, drum pump nipple
9370	Insert, cardboard, T2R
9380	Box, .025 Binks
9390	Kit, liquid, T series, neoprene
9391	Kit, liquid, T series, PTFE
9395	Kit, liquid, Wil-Flo, neoprene
9396	Kit, liquid, Wil-flo, PTFE
9397	Kit, Liquid, ADV, Neo
9398	Kit, Liquid, ADV, PTFE
9400	Kit, liquid, Pro-Flo, neoprene
9401	Kit, liquid, Pro-Flo, PTFE

Body Number	Description
9410	Fitting, split manifold
9420	Kit, split manifold
9430	Kit, Pro-Flo, aluminum bolted, rubber
9431	Kit, Pro-Flo, aluminum bolted, PTFE
9432	Kit, Pro-Flo, aluminum bolted, UF
9433	Kit, ProFlo, SS Adv, Rubber
9434	Kit, ProFlo, SS Adv, PTFE
9435	Kit, ProFlo, SS Adv, Ultra-flex
9436	Kit, Pro-Flo, Adv, Rubber
9437	Kit, Pro-Flo, Adv, PTFE
9438	Kit, Pro-Flo, Adv, Combo
9440	Kit, Pro-Flo, 3-pc, rubber
9441	Kit, Pro-Flo, 3-pc, PTFE
9442	Kit, Pro-Flo, 3-pc, UF
9450	Kit, poly enhanced
9451	Kit, PV, PTFE
9452	Kit, PV, UF
9453	Kit, PV, LSH, Rubber
9454	Kit, PV, LSH, PTFE
9455	Kit, PV, Rubber w/SS air chamber
9456	Kit, PV Nickle Pltd
9457	Kit, PX1 Alum, Combo
9460	Kit, aluminum enhanced
9461	Kit, PV Adv, PTFE
9462	Kit, PV ADV, UF
9463	Kit, PV400 Alum, Rubber
9464	Kit, PV400 Alum, PTFE
9465	Kit, PV400 Alum, UF
9466	Kit, H400S, PV ADS, Alum
9467	Kit, PV400 Plastic Adv Rubber
9468	Kit, PX400, Plastic, Rubber
9470	Kit, PTFE coated enhanced
9471	Kit, PX, PTFE
9472	Kit, PX, Ultra-Flex
9473	Kit, PX-SPP, PTFE, Retrofit
9474	Kit, PX APP, Rubber-TPE, Retro
9475	Kit, PX HS, Rubber, NP, retrofit
9480	Kit, nickel plated enhanced
9481	Kit, PX ADV, PTFE
9482	Kit, PX ADV, Ultra-Flex
9483	Kit, PX400 Adv Alum, Rubber
9484	Kit, PX400 ADV Alum, PTFE
9485	Kit, PX400 Adv Alum, Ultra-Flex
9490	Kit, Ultra-Flex demo
9500	Kit, Expanded PTFE, 1/4" Tape Only
9501	Kit, Expanded PTFE 1/4" Tape & Gasket
9502	Kit, Expanded PTFE, 1/2" Tape Only
9503	Kit, Expanded PTFE, 1/2" Tape & Gasket
9510	Box, expanded PTFE
9520	Obsolete - Kit, Stallion cutaway
9521	Kit, cutaway, turbo air valve
9530	Kit, cutaway, Pro-Flo, 1-pc
9531	Kit, cutaway, Pro-Flo, 3-pc
9532	Kit, cutaway, Pro-Flo V
9535	Kit, cutaway, Wil-Flo

NPS - PART NUMBER CODES

Body Number	Description	Body Number	Description
9540	Kit, Pro-Flo Adv, Combo	9607	Kit, WilFlo, 3pc, Ultra-flex w/ CI
9545	Kit, Diaphragm, Hornet pump	9610	Kit, WilFlo, Aluminum Adv, Rubber
9550	Kit, Elastomer, Turbo-Flo Plastic	9611	Kit, Wil-Flo, aluminum bolted, PTFE
9551	Kit, Elastomer, Turbo-Flo Metal	9612	Kit, Wil-Flo, aluminum bolted, UF
9552	Kit, Elastomer, Pro-Flo Plastic	9613	Kit, WilFlo, Adv, Rubber w/ SS Ctr Sect.
9553	Kit, Elastomer, Pro-Flo Plastic Adv	9614	Kit, Wil-Flo, Adv, SS, Center Section, PTFE (obo)
9554	Kit, Elastomer, Pro-Flo Metal	9615	Kit, Wil-Flo, Adv, SS, Center Section, UF (obo)
9555	Kit, Elastomer, Wil-Flo Plastic (obsolete)	9616	Kit, WilFlo, Rubber w/ SS Ctr Sect
9556	Kit, Elastomer, Wil-Flo Plastic Adv (obsolete)	9617	Kit, WilFlo, PTFE w/ SS Ctr Sect.
9557	Kit, Elastomer, Wil-Flo Metal (obsolete)	9618	Kit, WilFlo, Ultra-flex w/SS Ctr Sect.
9558	Kit, Elastomer, W400/W1500 Alum (obsolete)	9620	Kit, WilFlo, Rubber w/Nickel Pltd Ctr Sect.
9559	Kit, Elastomer, P400/P1500 Alum	9621	Kit, WilFlo, PTFE w/Nickel Pltd Ctr Sect.
9560	Kit, Elastomer, Turbo-Flo Plastic (Ultra-Flex)	9622	Kit, WilFlo, Ultra-flex w/ Nickel Pltd Ctr Sect.
9561	Kit, Elastomer, Turbo-Flo Metal (Ultra-Flex)	9623	Kit, Wil-Flo, SS Air Chamber, Rubber (obsolete)
9562	Kit, Elastomer, Pro-Flo Plastic (Ultra-Flex)	9624	Kit, Wil-Flo, SS Air Chamber, PTFE (obsolete)
9563	Kit, Elastomer, Pro-Flo Plastic Adv (Ultra-Flex)	9625	Kit, Wil-Flo, SS Air Chamber, UF (obsolete)
9564	Kit, Elastomer, Pro-Flo Metal (Ultra-Flex)	9650	Binder, empty (1")
9565	Kit, Elastomer, Wil-Flo Plastic (Ultra-Flex) Obo	9660	Binder, empty (4")
9566	Kit, Elastomer, Wil-Flo Plastic Adv (Ultra-Flex)Ob	9661	Kit, ADS, Pro-Flo, ADV
9567	Kit, Elastomer, Wil-Flo Metal (Ultra-Flex) obo	9662	Kit, ADS, Turbo-Flo
9568	Kit, Elastomer, W400/W1500 Alum (UF) Obsolete	9663	Kit, ADS, Wil-Flo
9569	Kit, Elastomer, P400 Alum/P1500 Alum (UF)	9664	Kit, ADS, Pro-Flo V
9570	Catalog, small (1 1/2")	9665	Kit, ADS, PX200
9571	Kit, Elastomer, W400 SS/W800 Metal/W1500 SS (TF)ob	9666	Kit, ADS, P1500 Plastic
9572	Kit, Elastomer, P200 Metal	9667	Kit, ADS, H800
9573	Kit, Elastomer, P8 Metal, TSU	9668	Kit, ADS, PX400/800 Advanced Plastic
9574	Kit, Elastomer, H200	9670	Kit, T810 Conversion
9575	Kit, Elastomer, T810/T1510	9671	Kit, T810 Conversion w/o air chamber
9576	Kit, Elastomer, PV810/PV1510	9680	Kit, LSH, SS w/ Small Stand
9577	Kit, Elastomer, P800 Metal, TSU	9681	Kit, LSH, Nickel Pltd w/Small Stand
9578	Kit, Elastomer, Pro-Flo, Plastic Tsu	9682	Kit, LSH, SS w/Tall Stand
9579	Kit, Elastomer, PX Metal, Rubber/PTFE	9683	Kit, LSH, Nickel Plated w/Tall Stand
9580	Catalog, competetive (free)	9685	Kit, PV LSH Conversion SS
9581	Kit, Elastomer, Pro-Flo V Plastic ADV	9686	Kit, PV LSH Conversion NP
9582	Kit, Elastomer, Pro-Flo V Metal (Rubber/PTFE)	9687	Kit, PV LSH Conversion, SS UF
9583	Kit, Elastomer, PV400 Alum/PV1500 Alum	9688	Kit, PV LSH conversion, NP, UF
9584	Kit, Elastomer, Pro-Flo V Plastic (Ultra-Flex)	9690	Kit, LSH Side Discharge
9585	Kit, Elastomer, Pro-Flo V Plastic Adv (Ultra-Flex)	9691	Kit, LSH Center Discharge
9586	Kit, Elastomer, Pro-Flo V Metal (Ultra-Flex)	9695	Kit, Valve ball, HS
9587	Kit, Elastomer, PV400 Alum/ Pv1500 /Alum (UF)	9696	Kit, Flap valve, HS
9588	Kit, Elastomer,PV400 SS/PV800 Metal/PV1500 SS PTFE	9697	Kit, Mushroom Valve, HS
9589	Kit, Elastomer, PV1500 Drop-in	9700	Kit, turbo, PFA coated, rubber/TPE
9593	Kit, Elastomer, PX400 Plastic	9710	Kit, turbo, PFA coated, PTFE
9594	Kit, Elastomer, PX4 Plastic	9720	Kit, turbo, nickle plated, rubber/TPE
9597	Kit, Elastomer, PX800 Plastic	9730	Kit, turbo, nickle plated, PTFE
9598	Kit, Elastomer, PX8 Plastic	9740	Kit, turbo, brass, rubber/TPE
9600	Kit, retro-fit, Wil-Flo, rubber/TPE	9750	Kit, turbo, brass, PTFE
9601	Kit, retro-fit, Wil-Flo, Ultra-Flex	9760	Kit, turbo, brass, combo
9602	Kit, retro-fit, Wil-Flo, PTFE	9770	Kit, turbo, SS, rubber/TPE
9603	Kit, WilFlo, 3pc, Rubber, PFA Coated	9780	Kit, turbo, SS, PTFE
9604	Kit, WilFlo, 3pc, PTFE, PFA Coated	9790	Kit, turbo, SS, combo
9605	Kit, WilFlo, 3pc, Rubber w/ CI	9850	Kit, XT2, Alum
9606	Kit, WilFlo, 3pc, PTFE w/ CI	9851	Kit, XT2, SS
		9852	Kit, XT1
		9860	Proximity sensors (PNP) pkg.

NPS - PART NUMBER CODES

Body Number	Description
9861	Kit, XP1, CFA
9862	Kit, XPX1
9865	Kit, XP2, Alum
9866	Kit, XP2, SS
9870	Proximity sensors (PNP) w/ Wil-Gard
9871	Kit, XPV, SS ADS
9875	Kit, XPV Adv, Alum ADS
9876	Kit, XPV Adv, SS ADS
9877	Kit, XPV Adv Alum wetted path
9880	Proximity sensors (NPN) pkg.
9885	Kit-XPX Advanced Alum Wetted Path
9886	Kit, XPX Adv SS wetted path
9889	Kit, XPX4, SS ADS MTL
9900	110V AC Instl. Pkg.
9901	110V AC Instal. Pkg. II
9910	110V AC Instl. Pkg., Nema 7
9920	12V DC Instl. Pkg.
9921	12V DC Instl. Pkg. II
9940	24V AC Instl. Pkg.
9941	24V AC Instl. Pkg. II
9960	24V DC Instl. Pkg.
9961	24V DC Instl. Pkg. II
9970	24V DC Instl. Pkg., Nema 7
9971	24V DC Instl. Pkg. II, Nema 7

Material Code	Description
(CC)	
01	Aluminum
02	Cast iron
03	Stainless steel
04	Hastelloy
05	Teflon® coated
06	Electroless nickel plated
07	Brass
08	Alloy steel
09	Mild steel, chrome plated
10	Stainless steel, polished
11	Aluminum, anodized
12	Cardboard
13	Acetal
14	Plexiglass®
15	OBSOLETE / Geolast®
16	Acetal, carbon filled
17	Polyvinyl Chloride (PVC)
18	OBSOLETE / Hanes C-22
19	Carilon®
20	Polypropylene

Material Code	Description
21	Kynar® / PVDF
22	Teflon® / PFA
23	Nylon
24	Phenolic
25	OBSOLETE / Polypropylene, graphite filled
26	Polyethylene
27	PET- Polyethylene Terephthalate
28	Nylon, graphite filled
29	Nylon, clear
30	Cellulose fiber
31	Armstrong N8090
32	UHMW Polyethylene
33	Chemraz®
34	Fluoro-Seal™
37	Turcite®
48	Expanded PTFE
49	Polyurethane
50	Polyurethane - ester
51	Neoprene
52	Buna-N® / Nitrile
53	Viton® / FKM
54	Norde® / EPDM
55	Teflon® / PTFE
56	Saniflex™ / Hytrel
57	FDA Wil-flex
58	Wil-Flex™
59	Teflon® encapsulated silicone
60	Teflon® encapsulated Viton®
61	Buna-N®, high temp.
62	Polyurethane - ether
63	50/50 Wil-Flex™
64	PTFE/Neoprene laminate
65	Isoplast®
66	Delrin® AF
67	R.T.P.
68	FDA Viton®
69	FDA Buna
70	Isoplast®, s.s. filled
71	Verton®
72	PTFE/EPDM laminate
73	HALAR® Coated aluminum
74	FDA EPDM
75	Polyetheretherketone (PEEK), carbon filled
76	Polyetherimide (PEI)
77	Polyphenylene sulfide (PPS) - glass filled
78	Vinyl ester - glass filled
79	G-10 fiberglass
81	EPDM/PTFE Laminate
82	Viton/PTFE Laminate
85	ESD Neoprene
86	ESD Nitrile
99	Multiple materials/Assemblies

NPS - PART NUMBER CODES

Specialty Code	Description
(DDDD)	
0002	Unpainted (aluminum & cast iron ONLY)
0003	OBSOLETE (was Spark-free)
0004	OBSOLETE (was Spark free, unpainted)
0006	Diaphragms, dome shaped
0009	Exhaust port facing down
0010	OBSOLETE (was S.S. outer piston, spark free)
0014	BSP
0015	OBSOLETE (was Spark free, BSP)
0017	BSP, unpainted
0018	Wing nuts, BSP, unpainted
0019	OBSOLETE (was Spark free, BSP, unpainted)
0022	External S.S. fasteners and hardware
0023	Wing nuts
0024	External S.S. fasteners and hardware, BSP
0026	OBO - USE SPEC CODE 22 & ATTACH SPEC INSTRUCTIONS S.S.FASTENERS & HDWR, UNPAINTED
0027	External S.S. fasteners and hardware, BSP, unpainted
0028	External S.S. fasteners and hardware, S.S. outer piston, BSP
0029	Air valve kit w/ oil bottle
0030	Screen based
0031	Screen based, S.S. clamp bands and fasteners
0032	Screen based, unpainted
0033	OBSOLETE (was Screen based, spark free)
0034	Screen based w/POLY screen, BSP
0035	OBSOLETE (was Screen based, spark free, unpainted)
0036	Screen based, BSP
0037	OBSOLETE (was Screen based, spark free, BSP)
0038	OBSOLETE (was Screen based, spark free, BSP, unpainted)
0039	Screen based, w/ Polyurethane screen
0040	Bolted, ANSI flange
0041	Bolted, DIN flange
0042	Bolted, ANSI flange, unpainted
0043	Bolted, DIN flange, unpainted
0044	Stallion, balls & seats ONLY
0045	Stallion, shaft & bumpers ONLY
0046	Stallion, internals, BSP
0047	Stallion, Externals, Balls & Seats
0048	Stallion, internals
0049	Stallion, w/ aluminum screen, NPT
0050	Stallion
0051	Stallion, BSP
0052	No longer available
0053	Stallion, footed, BSP
0054	Stallion, footed
0055	STALLION, EXTERNALS, BALLS & SEATS, BSP
0056	Stallion, w/ vendor #831 (WABCO) diaphragms
0057	M20, w/ undrilled drain holes

Specialty Code	Description
0058	OBSOLETE
0059	Stallion, w/ vendor #831 (WABCO) diaphragms, BSP
0060	USE - 062 OR 063
0061	Stallion, w/Aluminum screen, BSP
0062	High Pressure, ANSI flange (Parts Only)
0063	High Pressure, DIN flange
0064	REQUIRES AN RR (Stallion, w/ turbo air valve ONLY)
0065	Stallion Shaft (Parts ONLY)
0066	High Pressure, ANSI flange, Standard air valve
0067	Food Processing, Wil-Gard 220V
0068	Food Processing, vertical flange
0069	Food Processing, vertical flange, w/ stand
0070	Food Processing
0071	Food Processing, w/ stand
0072	Food Master
0073	Sani-Flo USDA 6" Discharge VC only
0074	Food Master, w/ stand
0075	Food Processing, Stallion Balls and Seats ONLY
0076	Food Processing, Stallion internals
0077	Tri-Clamp Fittings, Wil-Gard 110V
0078	Tri-clamp fittings, PFA Coated
0079	Tri-clamp fittings, wing nuts
0080	Tri-clamp fittings
0081	OBSOLETE - USE 080
0082	Food Master, 2-1/2" balls
0083	LSH, Sanitary
0084	LSH, sanitary, center ported
0085	Sanitary (3A) CIP, Wil-Gard 110V
0086	Sanitary (3A) CIP, Wil-Gard 220V
0087	LSH, sanitary, side ported
0088	Air valve kit, threaded connection (Stallion shaft)
0089	Air valve kit, threaded connection
0090	U.L. Approved
0091	U.L. Approved, Wil-Gard 110V
0092	U.L. Approved, screen based
0093	OBSOLETE - USE 090
0094	U.L. Approved, unpainted
0095	U.L. Approved, screen based, unpainted
0096	U.L. Approved with VRV
0097	U.L. Approved with VRV, Screen based
0098	U.L. Approved with VRV, unpainted
0099	U.L. Approved with VRV, Screen based, unpainted
0100	Wil-Gard 110V
0101	Wil-Gard 110V, unpainted
0102	Wil-Gard sensor wires ONLY
0103	Wil-Gard 220V
0106	Wil-Gard sensor wires ONLY, DIN Flange
0107	BSP, Wil-Gard sensor wires ONLY, unpainted
0108	BSP, Wil-Gard 220V

NPS - PART NUMBER CODES

Specialty Code	Description
0111	Stallion, internals, unpainted
0112	OBSOLETE (was Stallion, internals, spark free)
0113	OBSOLETE (was Stallion, internals, spark free, BSP)
0114	Stallion handles ONLY
0115	Same as 113
0116	Stallion, BSP, w/o handles
0117	Same as 046
0118	Stallion, balls & seats ONLY, BSP
0119	Food Master, 2-1/2" Balls, w/ stand
0120	Food Processing, Wil-Gard 110V
0121	Food Processing, Wil-Gard 110V, w/ stand
0122	Food Processing, Wil-Gard Wires ONLY
0123	Food Processing, Pump Cycle Monitor I (Module, sensor & wires)
0124	Food Processing, Accu-Flo, 24V DC, International, PTB approved
0125	Food Processing, Accu-Flo, 24V DC coil
0126	Food Processing, Accu-Flo, 24V DC x-proof coil
0127	Food Processing, Accu-Flo, 110V AC coil
0128	Food Processing, Accu-Flo, 24V AC / 12V DC coil
0129	Food Processing, Accu-Flo, 24V AC / 12V DC x-proof coil
0130	Food Processing, Accu-Flo, 110V AC x-proof coil
0138	Accu-Flo 24V DC, Tri-Clamp Fittings & Wingnuts
0139	Accu-Flo 110V AC x-proof coil, Tri-Clamp fittings & Wing nuts
0140	OBSOLETE - Accu-Flo, 110V AC coil, lube-free center section
0141	Accu-Flo, Valve Body Only, no coil
0142	Accu-Flo, valve body only, no coil, BSP, discharge manifold facing air inlet
0143	Accu-Flo, 110V AC x-proof coil, BSP
0144	Accu-Flo, 110V AC coil, BSP
0145	Accu-Flo, 110V AC x-proof coil, Wil-Gard 110V
0146	REQUIRES AN RR (Accu-Flo, 220V AC x-proof coil)
0147	OBSOLETE (was Accu-Flo, 24V DC coil, spark free, BSP)
0148	Accu-Flo, valve body only, no coil, BSP
0149	Accu-Flo, x-proof valve body only, no coil, BSP
0150	Accu-Flo, 24V DC coil
0151	Accu-Flo, 24V AC / 12V DC coil
0152	OBSOLETE - Accu-Flo, 24V AC / 12V DC coil, lube-free center section
0153	Accu-Flo, 24V AC / 12V DC x-proof coil
0154	Accu-Flo, 24V DC x-proof coil
0155	Accu-Flo, 110V AC coil
0156	Accu-Flo, 110V AC x-proof coil
0157	Accu-Flo, 24V DC coil, International, PTB approved
0158	Accu-Flo, 24V DC coil, International, PTB approved, BSP
0159	Accu-Flo, 24V DC coil, International, PTB approved, DIN flange

Specialty Code	Description
0160	Accu-Flo, 24V DC coil, BSP
0161	Accu-Flo, 24V DC x-proof coil, BSP
0162	Accu-Flo, 24V AC / 12V DC coil, BSP
0163	Intrinsically Safe Coil (Parts ONLY)
0164	Accu-Flo, 110V AC coil, Wil-Gard sensor wires ONLY
0165	OBSOLETE - Accu-Flo, 24V DC coil, lube-free center section
0166	Accu-Flo, 24V DC coil, Wil-Gard 110V
0167	Accu-Flo, 24V AC / 12V DC coil, Wil-Gard 110V
0168	Accu-Flo, 110V AC coil, Wil-Gard 110V
0169	Accu-Flo, 110V AC coil, PFA coated
0170	Accu-Flo, 110V AC x-proof coil, PFA coated
0171	Accu-Flo, 110V AC, PFA Coated, Wil-Gard Sensor Wires
0172	Accu-Flo, 24V AC/12V DC x-proof coil, PFA coated, Wil-Gard 110V
0173	Accu-Flo, 110V AC coil, UP male connection
0174	Accu-Flo, 110V AC x-proof coil, UP male connection
0175	Accu-Flo, 24V DC coil, BSP, discharge & inlet facing exhaust
0176	Accu-Flo, 110V AC coil, UP male connection, PFA coated
0177	Accu-Flo, 110V AC x-proof coil, UP male connection, PFA coated
0178	Accu-Flo, 24V AC / 12V DC coil, Wil-Gard wires ONLY
0179	Accu-Flo, 24V AC/12V DC x-proof coil, Wil-Gard Cables ONLY.
0180	Accu-Flo, 24V AC / 12V DC coil, PFA coated
0181	Accu-Flo, 24V AC / 12V DC x-proof coil, PFA coated
0182	Accu-Flo, 24V DC, x-proof coil, Wil-Gard cables installed
0183	Accu-Flo, 24V AC / 12 V DC x-proof coil, Wil-Gard 110V
0184	Accu-Flo, 24V DC coil, PFA coated
0185	Accu-Flo, 24V DC x-proof coil, PFA coated
0186	Accu-Flo, 24V AC / 12V DC coil, UP male connection
0187	Accu-Flo, 24V AC / 12V DC x-proof coil, UP male connection
0188	Accu-Flo, 24V AC / 12V DC coil, UP male connection, PFA coated
0189	Accu-Flo, 24V AC / 12V DC x-proof coil, UP male connection, PFA coated
0190	Accu-Flo, 24V DC coil, UP male connection
0191	Accu-Flo, 24V DC x-proof coil, UP male connection
0192	Accu-Flo, 24V DC coil, UP male connection, PFA coated
0193	Accu-Flo, 24V DC x-proof coil, UP male connection, PFA coated
0194	OBSOLETE (was Accu-Flo, 24V DC coil, spark

NPS - PART NUMBER CODES

Specialty Code	Description	Specialty Code	Description
	free)	0250	Discharge manifold facing air inlet
0195	OBSOLETE (was Accu-Flo, 24V DC x-proof coil, spark free)	0251	Discharge manifold facing air inlet, BSP
0196	OBSOLETE (was Accu-Flo, 24V AC / 12V DC coil, spark free)	0252	S.S. center block w/ aluminum bushing (EXPERIMENTAL)
0197	OBSOLETE (was Accu-Flo, 24V AC / 12V DC x-proof coil, spark free)	0253	S.S. center block w/ delrin bushing (EXPERIMENTAL)
0198	OBSOLETE (was Accu-Flo, 110V AC coil, spark free)	0254	S.S. center block w/ delrin bushing, unpainted (EXPERIMENTAL)
0199	OBSOLETE (was Accu-Flo, 110V AC x-proof coil, spark free)	0255	Poly center block, w/ delrin bushing
0200	Lube-free (PARTS ONLY)	0256	Same as 102
0201	TWS Elastomer Kits	0257	Same as 100
0202	TSS Elastomer Kits	0258	Inlet manifold facing exhaust, Wil-Gard 110V
0203	TSU Elastomer Kits	0259	Same as 250
0206	PFA coated, Wil-Gard sensor wires ONLY	0260	Same as 564
0220	Discharge manifold with 1-1/2" NPT and 440 hardened SS seats	0261	M2R Champ, Accu-Flo, 24V AC / 12V DC coil
0221	Exhaust port facing down, inlet facing air valve, (90° elbow)	0262	M2R Champ, Accu-Flo, 24V AC / 12V DC x-proof coil
0222	Inlet manifold facing air inlet	0263	M2R Champ, Accu-Flo, 24V DC coil
0224	Discharge & Inlet Manifold Facing Air Inlet, BSPT	0264	M2R Champ, Accu-Flo, 24V DC x-proof coil
0225	Turbo (PARTS ONLY)	0265	M2R Champ, Accu-Flo, 110V AC coil
0226	Stallion Balls & Seat & Handles	0266	M2R Champ, Accu-Flo, 110V AC x-proof coil
0227	Phenolic air valve piston	0271	M2R Champ, Accu-Flo, 110V AC coil, Wil-Gard 110V
0228	Phenolic air valve piston, unpainted	0272	M2R Champ, Accu-Flo, 24V AC / 12V DC coil, S.S. outer pistons
0229	OBSOLETE (was Phenolic air valve piston, spark free)	0273	M2R Champ, Accu-Flo, 24V DC coil, Wil-Gard 110V
0230	SS Outer Pistons, BSP	0274	OBSOLETE - M2R Champ, Accu-Flo, 110V AC coil, lube-free center section
0231	Stallion, externals (screen & handles)	0275	M2R Champ, Accu-Flo, 24V AC/24V DC coil, Wilgard 110V
0232	External S.S. fasteners and hardware, S.S. outer piston	0280	Blacoh, Bolted, NPT
0233	Stallion, externals (screen & handles), BSP	0281	Blacoh, Bolted, BSP
0234	S.S. inner & outer pistons	0282	S.S. BSP inlet manifolds and Stallion internals
0235	S.S. inner pistons	0285	Externally threaded T-section
0236	S.S. inner pistons, PFA coated	0286	Externally threaded T-section, PFA coated hardware
0237	S.S. Inner Piston, Stallion balls and seats	0290	OBSOLETE - Use Specialty Code 294
0238	USE 22	0291	OBSOLETE - DO NOT USE
0239	S.S. inner pistons, BSP	0292	OBSOLETE - DO NOT USE
0240	Discharge & inlet manifolds facing exhaust, Food Processing	0293	OBSOLETE - Use Specialty Code 295 or 296
0241	Same as 245	0294	Enviroguard manifolds, 1-pc inlet clamp bands, stallion balls & seats, w/ brass drain valve
0242	Reverse manifolds, DIN	0295	Enviroguard manifolds, 1-pc inlet clamp bands, stallion balls & seats, w 1/2" NPT plug
0243	Center ported, 3/4" Discharge and 1" Inlet facing exhaust, NPT	0296	Enviroguard manifolds, 1-pc inlet clamp bands, stallion balls & seats, w/ 1-1/2" NPT plug
0244	Discharge & inlet manifold facing exhaust, BSP, w/Wil-Gard 110V	0297	Enviroguard manif. std. bands, Stallion balls & seats, 1-1/2" plug & brass valve (1 ea), no muffler
0245	Reverse manifolds	0298	Enviroguard manifolds, std. bands, stallion balls & seats, 1-1/2" Plug & brass drain valve (1 ea.)
0246	Reverse manifolds, BSP	0300	Without air valve
0247	Discharge & inlet manifold facing exhaust	0301	OBSOLETE - Without air valve, lube free
0248	Discharge and inlet manifolds facing air inlet		
0249	OBSOLETE (was Discharge manifold facing air inlet, spark free, BSP)		

NPS - PART NUMBER CODES

Specialty Code	Description	Specialty Code	Description
0302	OBSOLETE - Without air valve, lube-free, BSP	0347	Single-point Exhaust, Stallion balls & seats, BSP, Anodized AV assy
0303	Without air valve, turbo	0348	Single-Point Exhaust, Stallion Externals, Balls & Seats, BSP
0304	Without air valve, DIN flange	0349	Single point exhaust, Stallion externals, balls, seats and Alum screen - ATEX version
0305	Without air valve, split manifold	0350	Reserved for ARGO
0308	Wil-Flo w/Turbo Air Valve, Unpainted - for ARGO Int. (DO NOT PUBLISH)	0351	Sani-Flo (3A) style pump w/ Pro-Flo c-sec and no Wil-Gard - REQ. AN RR
0310	Leak Lock applied to P. 025 retainers	0353	PV4-PV15 Stainless steel air valve with anodized spool, ANSI
0315	PFA coated, BSP	0354	PV4-PV15 Stainless steel air valve with anodized spool, NPT
0317	Single-point Exhaust, SS Hardware	0355	Anodized Air Valve
0319	Single-point Exhaust, BSP	0356	Single-Point Exhaust, Anodized Air Valve
0320	Single-point Exhaust	0360	Accu-Flo, 24V DC coil, DIN flange
0321	Same as 320	0361	Same as 150
0322	Single-point Exhaust, Stallion footed (Balls and seats), BSP	0362	Accu-Flo, 110V AC coil, PFA coated, Wil-Gard 110V
0323	Single-point Exhaust, DIN flange	0363	Stallion, internals (balls & seats ONLY), Accu-Flo, 110V AC coil
0324	Single-point Exhaust, Screen based	0364	Stallion, internals (balls & seats ONLY), Accu-Flo, 24V AC / 12V DC coil
0325	Single-point Exhaust, Stallion externals	0365	Stallion Internals (balls & seats ONLY), Accu-Flo, 24V DC coil
0326	Single-point Exhaust, Stallion balls and seats, Stallion handles	0366	Stallion Footed w/ Handles & Stallion shaft & bumper only (standard balls & seats)
0327	Single-point Exhaust, Stallion externals, balls & seats	0367	Stallion, balls & seats ONLY, Tri-clamp fittings, wing nuts
0328	Single-point Exhaust, ANSI flange	0368	STALLION, (BALLS & SEATS ONLY) ACCU-FLO, 24V AC / 12V DC COIL
0329	Same as 323	0371	Same as 151
0330	Wing nuts, BSP	0372	Same as 153
0331	Single-point Exhaust, Screen Base, BSP	0373	Same as 154
0332	Single-point Exhaust, Stallion Balls & Seats, BSP	0374	Same as 155
0333	Single-point Exhaust, Screen Base, S.S. Hardware	0375	Same as 156
0334	Single-point Exhaust, Polyurethane Screen Base	0376	Bottled, Accu-Flo, 24V DC, International, PTB approved
0335	Food Processing w/ threaded Inlet T-section for Drum Pump	0377	Same as 360
0336	Single-point Exhaust, Stallion w/o Handles (polyurethane screen and stallion balls & seats)	0378	Accu-Flo, 24V AC / 12V DC coil, DIN
0337	Single-point Exhaust, Screen Based w/ Polyurethane screen, BSP	0379	Accu-Flo, 24V AC / 12V DC x-proof coil, DIN
0338	Single-point Exhaust, Stallion externals, balls & seats, check ball assy, BSP	0380	Accu-Flo, 24V DC x-proof coil, DIN
0339	Single-point Exhaust, Stallion Balls & Seats	0381	Accu-Flo, 110V AC coil, DIN
0340	Screen based, S.S. clamp bands and fasteners, BSP	0382	Accu-Flo, 110V AC x-proof coil, DIN
0341	Single-point Exhaust, Food Processing	0383	Same as 159
0342	Single-point Exhaust, LSH Sanitary, Center ported	0385	P2 EHEDG (3A Design, with Pro-Flo ADS and no Wil-Gard)
0343	Single-point Exhaust, Screen Based, Stallion balls & seats	0386	EHEDG DN Connection
0344	Single-point Exhaust, Stallion balls, seats and handles, check ball assy, BSP	0387	EHEDG SMS Connection
0345	Single-point Exhaust, Stallion externals, balls & seats, check ball assy, BSP, Anodized AV assy	0390	Built to CSA Specifications
0346	Single-point Exhaust, Stallion balls, seats & handles, check ball assy, BSP, Anodized AV assy	0391	Built to CSA Specifications, 1" NPT center ported inlet and discharge manifolds, Single-point Exhaust
		0392	Built to CSA Specifications, 1" NPT side-ported

NPS - PART NUMBER CODES

Specialty Code	Description
	inlet and discharge manifolds, Single-point Exhaust
0393	Built to CSA Specs, Center Ported NPT (1" Inlet facing air inlet, 3/4" discharge facing exhaust)
0394	Built to CSA Specs, Center Ported NPT (1" inlet facing exhaust, 3/4" discharge facing air inlet)
0395	Groundable Liquid Chamber and Center Section assy.
0400	M2R Champ
0402	M2R Champ, PFA coated
0404	M2R Champ, DIN flange
0406	M2R Champ, DIN flange, PFA coated
0407	OBSOLETE - M2R Champ, without air valve, lube-free
0415	M2R Champ, Wil-Gard sensor wires ONLY
0416	M2R Champ, PFA coated, Wil-Gard sensor wires ONLY
0417	OBSOLETE - M2R ANSI ONLY (lube-free center section w/turbo air valve)
0420	M2R Champ, Wil-Gard 110V
0422	use 423
0423	M2R Champ, PFA Coated, Wil-Gard 110V
0424	M2R Champ, DIN flange, Wil-Gard 220V
0426	M2R Champ, DIN flange, PFA coated, Wil-Gard 220V
0428	M2R Champ, Wil-Gard 220V
0430	M2R Champ, S.S. outer pistons
0435	P2R w/Threaded T-section and Flaretek Fittings, Pump to be Built in Clean Room
0451	M2R Champ, Accu-Flo, no coil, DIN flange
0454	M2R Champ, Accu-Flo, 24V DC coil, DIN flange
0455	M2R Champ, Accu-Flo, 24V AC / 12V DC coil, DIN flange
0456	M2R Champ, Accu-Flo, 24V DC coil, International, PTB approved, DIN flange
0457	M2R Champ, Accu-Flo, 24V DC coil, DIN flange, S.S. outer piston
0458	M2R Champ, Accu-Flo, 24V DC coil, DIN flange, Wil-Gard 220V
0460	Same as 502
0461	Same as 506
0465	Versa Retrofit Kit
0470	High Vacuum Seats, P200 Plastic
0471	High Vacuum Seats, Accu-Flo 24V DC, P200 Plastic
0472	High Vacuum Seats, NPT threaded Pro-Flo endcap facing upward (w-Pilot Plug), P200 Plastic
0475	A25P, 24V DC Cross Bolted Design, NPT
0476	A25P, 24V DC Cross Bolted Design, BSPT
0480	Pump Cycle Monitor I (Sensor & wires only)
0481	NPT Threaded Pro-Flo Endcap Facing Upward (Pilot Plug Required)
0482	Pump Cycle Monitor I (Sensor & wires only), BSP

Specialty Code	Description
0483	Pump Cycle Monitor I (Module, sensor & wires)
0484	Pump Cycle Monitor I (Module, sensor & wires), BSP
0485	Pump Cycle Monitor I (Module, sensor & wires), DIN Flange
0486	Pump Cycle Monitor I (Module, sensor & wires), w/Stallion balls & seats
0487	Pump Cycle Monitor I, (Sensor & wires only), DIN Flange
0488	Pump Cycle Monitor (sensor & wires only), M2R Champ
0490	Pro-Flo with 1/8" NPT Exhaust hole
0492	U.L. Listed, Side Ported, Single-point Exhaust
0493	UL Listed, Center ported NPT (1" inlet facing air, 3/4" disch facing exhaust), Single-point Exhaust
0494	UL Listed, Center ported NPT (1" inlet facing exhaust, 3/4" disch facing air), Single-point Exhaust
0495	UL Listed, Single-point exhaust center section
0500	Champ (PARTS ONLY)
0501	Adapter block, no muffler, Pro-Flo center section, PFA coated hardware
0502	PFA coated
0503	ANSI flange (P200 metal only)
0504	DIN flange
0506	DIN flange, PFA coated
0507	OBSOLETE - Vertically ported auto block, no muffler, lube free center section, manifolds facing exha
0508	Vertically ported auto block, Accu-flo inner pistons, manifolds facing exhaust & bands at 2 o'clock
0509	Adapter block, no muffler, P2R, center section
0510	PVDF end caps, PFA coated
0511	Acetal end caps, PFA coated
0512	Adapter block, no muffler, Pro-Flo, center section
0513	S.S. outer pistons
0514	Adapter block, no muffler, standard center section
0515	REQUIRES AN RR (PVDF discharge elbows & tee sections)
0516	Adapter block, no muffler, turbo center section
0517	OBSOLETE - Adapter block, no muffler, lube-free center section
0518	Adapter block, no muffler, M2R, turbo center section
0519	OBSOLETE - Adapter block, no muffler, M2R, lube-free center section
0520	Ultrapure II, female connections
0521	Ultrapure II, female connections, PFA coated
0522	Ultrapure II, male bondable connections
0523	Ultrapure II, male bondable connections, PFA coated
0524	Ultrapure II, male bondable connections, Wil-

NPS - PART NUMBER CODES

Specialty Code	Description
	Gard 110V
0525	Ultrapure II, female connections, PFA coated, Wil-Gard sensor wires ONLY
0526	Ultrapure II, female connections, PFA coated, Discharge & inlet manifold facing exhaust
0527	Ultrapure II, female connections, PFA coated, Wil-Gard 110V
0530	Ultrapure II, female connections, Wil-Gard 110V
0531	Ultrapure II, female connections, Wil-Gard sensor wires ONLY
0532	Ultrapure II, male bondable connections, PFA coated, Wil-Gard 110V
0533	Ultrapure II, male bondable connections, PFA coated, Wil-Gard 220V
0534	Ultrapure II, female connections, Accu-Flo 110V, PFA coated
0535	Ultrapure II, female connections, Accu-Flo 24V AC/12V DC, PFA coated
0536	Ultrapure II, female connections, Accu-Flo 24V AC/12V DC
0538	Adapter Block, No Muffler, Turbo Center Section, Dish Manifolds Facing Air Inlet
0551	Adapter Block, No Muffler, Pro-Flo Center Section, NPT
0552	Center Ported, BSPT (1" Inlet facing exhaust & 3/4" disch facing air inlet), adapter blk, no muffler
0553	Center & Vertically ported NPT manifolds, Adapter block, no muffler, standard center section
0554	Adapter block, no muffler, Pro-Flo center section, BSP
0555	Adapter block, no muffler, Pro-Flo center section, Tri-Clamp flanges & Wingnuts
0556	Adapter block, no muffler, turbo center section, BSP
0557	Adapter block, no muffler, standard center section, BSP
0558	Adapter block, no muffler, T2R, Turbo center section, DIN flange
0559	Adapter block, no muffler, P2R center section, DIN flange
0560	Split manifold
0561	Split manifold, PFA coated
0562	Split Manifold, BSP
0563	Split manifold, discharge only
0564	Split manifold, inlet only
0565	Split manifold, food grade bands
0567	Split manifold, Accu-Flo, 24V DC coil
0568	Split manifold, wing nuts
0569	Split manifold, inlet only, BSP
0570	Split manifold, Accu-Flo, 24V AC / 12V DC coil
0580	Same as 560
0590	P2R Poly/TNU or Poly/WFS - Refer to Assembly Work Instruction ASM 14-INTEL

Specialty Code	Description
0591	P. 025 Poly/TX & Kynar/TX - Refer to Assembly Work Instruction ASM 14-INTEL- 00
0603	PFA coated, Wil-Gard 110V
0604	DIN flange, Wil-Gard 220V
0606	DIN flange, PFA coated, Wil-Gard 220V
0608	PFA coated, Wil-Gard 220V
0612	Ultrapure (T1 & T4 champ), male bondable connections, PFA coated
0618	Ultrapure (T1 & T4 Champ), male bondable connections, PFA coated, Wil-Gard 110V
0622	Ultrapure (T1 & T4 Champ), male bondable connections
0623	Ultrapure (T1 & T4 Champ), male bondable connections, adapter block, no muffler
0624	Ultrapure (T1 & T4 Champ), male bondable connections, Wil-Gard 110V
0630	With Krytox Oil (Parts ONLY)
0632	With Lubriplate Grease
0633	Side Ported NPT, Inlet & Discharge with Lubriplate grease C-section
0640	Flaretek Fittings
0641	Flaretek Fittings, PFA coated
0645	FITTINGS, HOSE BARB CONNECTION
0650	Show / Photo Shoot - NOT FOR SALE
0651	Vertically Ported Discharge, NPT
0652	Vertically Ported Discharge, BSPT
0660	Split manifold, Wil-Gard 110V
0661	Split manifold, PFA coated, Wil-Gard 110V
0662	Split manifold, Accu-flo, 110V AC coil
0663	Split manifold, adapter block, no muffler, Pro-Flo , center section
0664	Center and Vertical ported manifolds, NPT - NO PLUGS
0665	Center and Vertically ported manifolds, BSPT - NO PLUGS
0667	Center and Vertically ported manifolds, NPT
0668	Center and Vertically ported manifolds, BSPT
0669	Center-ported inlet & vertical-ported discharge, NPT
0670	Vertically ported, inlet manifold only, NPT
0671	Vertically ported, inlet manifold only, BSP
0672	Vertically ported, inlet and discharge manifolds, NPT
0673	Vertically ported, inlet and discharge manifolds, BSP
0674	Accu-Flo 110V AC, vertically ported inlet manifold only, NPT
0675	Accu-Flo, 24V DC, vertically ported, inlet manifold only, NPT
0676	Accu-Flo, 24V DC, vertically ported, inlet manifold only, BSP
0677	Center Ported, NPT Inlet & Discharge
0678	Center Ported, BSPT Inlet & Discharge
0679	Accu-Flo 24V AC/12V DC, Vertically ported inlet and discharge, NPT

NPS - PART NUMBER CODES

Specialty Code	Description
0680	P100 with OEM Specific Inlet Manifold
0682	P100 with OEM manifold, Accu-Flo 24V DC Coil
0683	P100 with OEM Specific Inlet Manifold, center ported inlet and discharge manifolds, NPT
0684	P100 with OEM Inlet Manifold reversed, Accu-Flo 24V DC Coil & bronze muffler
0685	Center Ported, NPT Inlet & Discharge, PCM Sensor & Wires
0686	Accu-Flo 24V AC/12V DC, Center Ported NPT Inlet & Discharge, Wil-Gard wires only
0687	Center Ported, NPT Inlet & Discharge, Single-point Exhaust
0688	Center Ported, BSPT Inlet and Discharge manifolds, Single-point Exhaust
0689	Center Ported, NPT inlet and discharge with external SS fasteners
0690	Center Ported ANSI/DIN Combo
0691	Center ported, ANSI/DIN combo flange, PFA Coated fasteners
0692	Accu-flo 24V AC/12V DC, Center Ported (1" inlet facing exhaust, 3/4" disch. facing air inlet)
0693	CENTER PORTED NPT, PFA COATED
0694	Accu-Flo 24V AC/12V DC, Ctr Ported (1" inlet facing air, 3/4" disch. facing exhaust), coil upside dwn
0695	Center Ported Drop-in (1" inlet facing air inlet & 3/4" discharge facing exhaust)
0696	Center Ported Drop-in, BSPT (1" inlet facing air inlet & 3/4" discharge facing exhaust)
0697	Center Ported Pro-Flo Drop-in (1" Inlet facing exhaust & 3/4" discharge facing air inlet)
0698	Center Ported Pro-Flo Drop-in, BSPT (1" inlet facing exhaust & 3/4" discharge facing air inlet)
0699	Center Ported, BSPT (1" inlet facing exhaust & 3/4" disch facing air inlet), Wil-Gard sensor wires
0700	Pro-Flo (PARTS ONLY)
0702	Pro-Flo®, BSP (PARTS ONLY)
0703	C-Section with SS Hardware
0705	P4/P400 with Closed Spool A.V. - RR only
0720	P2 Hybrid Bolted, NPT
0721	P2 Hybrid Bolted, BSP
0722	P2 Hybrid Bolted, Food Processing
0723	P2 Hybrid Bolted, BSP, 24V DC coil
0724	A2P Hybrid Bolted, 24V AC/12V DC coil
0725	A2P Hybrid Bolted, BSP, 24V AC/12V DC coil, Wil-Gard 220V
0726	P2 Hybrid Bolted, Tri-clamp fittings
0727	P2 Hybrid Bolted, NPT, Wil-Gard sensor wires ONLY
0728	A2P Hybrid Bolted, 24V DC x-proof coil
0730	Side Ported, NPT inlet & discharge
0731	Center Ported, ANSI/DIN Combo, w/PCM (sensor & wires only)

Specialty Code	Description
0732	SIDE PORTED, NPT INLET & DISCHARGE, SINGLE-POINT EXHAUST
0733	Center Ported, Reversed ANSI/DIN combo (inlet facing air inlet/discharge facing exhaust)
0734	Center Ported, Reversed ANSI/DIN combo (inlet facing air inlet/disch facing exhaust), PFA coated
0735	Center Ported, NPT (1" inlet facing air inlet, 3/4" disch. facing exhaust), Single-point Exhaust
0736	Center Ported BSPT (1" inlet facing air inlet, 3/4" disch. facing exhaust), Single-point Exhaust
0737	Center Ported, NPT (1" inlet facing exhaust, 3/4" disch. facing air inlet), Single-point Exhaust
0738	Center Ported, BSPT (1" inlet facing exhaust, 3/4" disch. facing air inlet), Single-point Exhaust
0739	CENTER PORTED ANSI/DIN COMBO WITH WIL-GARD 110V
0740	Obsolete - Use specialty code 0741
0741	Accu-Flo 24V DC, Center ported (1" inlet facing exhaust, 3/4" discharge facing air inlet)
0742	Accu-Flo 110V AC, Center Ported (1" inlet facing exhaust, 3/4' discharge facng air inlet)
0743	Obsolete - Use specialty code 0746
0744	Accu-Flo 24V AC/12V DC, Center Ported, 1" NPT inlet and discharge
0745	Accu-Flo 24V DC, Ctr ported (1" inlet facing exhaust, 3/4" disch facing air inlet), Wil-Gard Wires
0746	Accu-Flo, 24V DC, Center Ported BSPT (1" inlet facing exhaust, 3/4" disch facing air inlet)
0747	Accu-Flo 24VDC X-Proof, Cntr port ProFlo drop in 1" inlet facing exh & 3/4" dischrng facing air inlet
0748	Accu-Flo, 24V DC X-Proof Coil, Center Ported 1" NPT Inlet and Discharge
0749	Accu-Flo, 24V DC X-Proof Coil, Center Ported BSPT 1" Inlet and Discharge.
0750	Cast iron INLET manifold
0751	Adapter block, No Muff, PX C-Section, Ctr Port BSP, 1" inlet facing exh, 3/4" disch facing air inlet
0755	ACCU-FLO, 24VAC/12VDC, SIDE PORTED NPT INLET & DISCHARGE
0756	ACCU-FLO 24VDC Coil, Side Ported NPT Inlet and Discharge
0760	ATEX Approved
0761	Accu-Flo, ATEX Approved, 24V DC
0762	Accu-Flo, ATEX Approved, 24V DC, BSP
0763	Accu-Flo, ATEX Approved, 24V DC, DIN Flange
0764	ATEX Approved, Tri-clamp fittings & wing nuts
0765	ATEX Elastomer Kits
0766	Accu-Flo, ATEX 24V DC, Center ported Pro-Flo drop-in(1" Inlet facing exhaust, 3/4" disch

NPS - PART NUMBER CODES

Specialty Code	Description
	facing air)
0767	Accu-Flo, Atex 24V DC, Center Ported, BSPT (1" Inlet facing exhaust, 3/4" disch facing air-inlet)
0768	ATEX Approved, Adapter Block, No Muffler, PX Center Section, BSPT
0770	SaniFlo HS
0771	SaniFlo HS, w/Swivel Stand
0772	SaniFlo HS, Wil-Gard 110V
0773	SaniFlo HS, Wil-Gard 220V
0774	SaniFlo HS, Wil-Gard 110V, w/Swivel Stand
0775	SaniFlo HS, Wil-Gard 220V, w/Swivel Stand
0776	SaniFlo HS, Horizontally Mounted
0777	SaniFlo HS for DUS (same as 0770 without inlet connections)
0778	Saniflo HS, DIN25 Connection
0779	Saniflo HS, w/swivel stand, DIN25 connection
0780	Saniflo HS, Wil-Gard 110V, DIN25 connection
0781	Saniflo HS, Wil-Gard 220V, Din25 connection
0782	Saniflo HS, Wil-Gard 110V, w/swivel Stand DIN25 connection
0783	Saniflo HS, Wil-Gard 220V, w/swivel stand, DIN25 connection
0784	Saniflo HS, SMS connection
0785	Saniflo HS, w/swivel stand, SMS connection
0786	Saniflo HS, Wil-Gard 110V, SMS connection
0787	Saniflo HS, Wil-Gard 220V, SMS connection
0788	Saniflo HS, Wil-Gard 110V, w/swivel stand, SMS connection

Specialty Code	Description
0789	Saniflo HS, Wil-Gard 220V, w/swivel stand, SMS connection
0790	P100 Advanced, drum pump inlet manifold
0791	P100 ADV DRUM PUMP INLET MANIFOLD, PCMI (SENSOR & WIRES ONLY)
0900	BioPharm
0901	BioPharm, BSP
0902	BioPharm, DIN
0903	BioPharm, FDA (tri-clamp flanges & wingnuts)
0904	BioPharm, USDA (Food Master)
0905	BioPharm, CIP (3A "Style" with out Wil-Gard)
0907	BioPharm, LSH, Side Ported
0908	BioPharm, FDA, Accu-Flo, 24V DC
0909	BioPharm, FDA, Accu-Flo, 24V DC, X-proof
0910	BioPharm, FDA, Accu-Flo, 24V AC/12V DC
0911	BioPharm, FDA, Accu-Flo, 24V AC/12V DC, X-proof
0912	BioPharm, FDA, Accu-Flo, 110V AC
0913	BioPharm, FDA, Accu-Flo, 110V AC, X-proof
0914	BioPharm, Accu-Flo, 24V DC
0915	BioPharm, Accu-Flo, 24V AC/12V DC
0916	BioPharm, Accu-Flo, 24V AC/12V DC, X-proof
0917	BioPharm, Accu-Flo, 24V DC, X-proof
0918	BioPharm, Accu-Flo, 110V AC
0919	BioPharm, Accu-Flo, 110V AC, X-proof
2000	P2 - Wetted Path Redesign, NPT
2014	P2 - Wetted Path Redesign, BSPT